arXivEdits: Understanding the Human **Revision Process in Scientific Writing**





Chao Jiang, Wei Xu, and Samuel Stevens



Revision in Scientific Writing Two adjacent versions of the same paper on arXiv (an open-access E-print service)

$\exists r \times lV > cs > arXiv:1706.03762$

Computer Science > Computation and Language

[Submitted on 12 Jun 2017 (v1), last revised 6 Dec 2017 (this version, v5)]

Attention Is All You Need

Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Lukasz Kaiser, Illia Polosukhin

The dominant sequence transduction models are based on complex recurrent or convolutional neural networks in an encoder-decoder configuration. The best performing models also connect the encoder and decoder through an attention mechanism. We propose a new simple network architecture, the Transformer, based solely on attention mechanisms, dispensing with recurrence and convolutions entirely. Experiments on two machine translation tasks show these models to be superior in quality while being more parallelizable and requiring significantly less time to train. Our model achieves 28.4 BLEU on the WMT 2014 English-to-German translation task, improving over the existing best results, including ensembles by over 2 BLEU. On the WMT 2014 English-to-French translation task, our model establishes a new single-model state-of-the-art BLEU score of 41.8 after training for 3.5 days on eight GPUs, a small fraction of the training costs of the best models from the literature. We show that the Transformer generalizes well to other tasks by applying it successfully to English constituency parsing both with large and limited training data.





Submission history

From: Ashish Vaswani [view email]

- [v1] Mon, 12 Jun 2017 17:57:34 UTC (1,102 KB)
- [v2] Mon, 19 Jun 2017 16:49:45 UTC (1,125 KB)
- [v3] Tue, 20 Jun 2017 05:20:02 UTC (1,125 KB)
- [v4] Fri, 30 Jun 2017 17:29:30 UTC (1,124 KB)
- [v5] Wed, 6 Dec 2017 03:30:32 UTC (1,124 KB)

Study Revision is Useful

- Valuable Knowledge is Encoded.
 - Document-level: logical and structural improvement.
 - Sentence-level: stylistic and grammatical refinement.
- Support Important Applications
 - Writing quality assessment and grammar error correction (Bryant et al., 2019).
 - Al-assist writing (Sun et al., 2021, Du et al., 2022, Huang et al., 2022).
 - Text simplification and compression (Xu et al., 2015, Maddela., 2021).
 - Stale transfer and paraphrase generation (Xu et al., 2012, Dou et al., 2022).
 - And many more ...

Our Work

A complete computational framework to study text revision in the scientific writing domain.

arXivEdits

System

- Automatic sentence alignment. Precision: 96.9; F1 93.8 lacksquare
- Span-level edit extraction. More explainable!
- Edit intention classification.

Data-driven Analysis

What common strategies are used by authors to improve the writing of their papers?

Sentence alignment for 751 paper groups across 6 research areas in 23 years. Full multi-page papers! Fine-grained sentence level edits with intentions for 1,000 sentence pairs. New intention taxonomy!



Sentence alignment can capture all document-level revision operations

A Paragraph in Early Draft

(s1) Energy markets are driven by innovation, path-dependent technology $s1 \rightarrow$ costs and diffusion; yet, common optimisation modelling methodologies $s1 \rightarrow$ remain vague on these aspects and have a limited ability to address theeffectiveness of policy onto decision-making since the latter is notspecifically represented. (s2) This leads to an underestimation of non- $s2 \rightarrow$ cost-optimal technology lock-ins known to occur. (s3) Breaking with $s3 \rightarrow$ tradition, our approach explores bottom up ...s1

Step 1: Extract plain text from the latex source code with Pandoc library. Improved! Step 2: Align paragraphs for papers in adjacent versions using a light-weighted algorithm. Step 3: Crowdsource alignment labels for sentence pairs on Figure-Eight



Edit Intention Taxonomy for Scientific Writing



Intention	Definition	%
Improve Language		28.6%
More Accurate/specific	Minor adjustment to improve the accuracy or specificness of the description.	11.5%
Improve Style	Make the text sound more professional or coherent without altering the meaning.	8.7%
Simplify	Simplify complex concepts or delete redundant content to improve readability.	7.6%
Other	Other language improvements that don't fall into the above categories.	0.8%
Correct Grammer/Typo	Fix grammatical errors, correct typos, or smooth out grammar needed by other changes.	25.4%
Update Content	Update large amount of scientific content, add or delete major fact.	28.8%
Adjust Format	Adjust table, figure, equation, reference, citation, and punctuation etc.	17.2%



Edit Intention Taxonomy for Scientific Writing



Intention	
Improve Language	
More Accurate/specific	Minor adjustment to improve
Improve Style	Make the text sound more pr
Simplify	Simplify complex concepts o
Other	Other language improvemen
Correct Grammer/Typo	Fix grammatical errors, corre
Update Content	Update large amount of scier
Adjust Format	Adjust table, figure, equation

Our Work

A complete computational framework to study text revision in the scientific writing domain.

arXivEdits

- ${}^{\bullet}$

System

- Automatic sentence alignment. Precision: 96.9; F1 93.8 lacksquare
- Span-level edit extraction. More explainable!
- Edit intention classification.

Data-driven Analysis

What common strategies are used by authors to improve the writing of their papers?

Sentence alignment for 751 paper groups across 6 research areas in 23 years. Full multi-page papers! Fine-grained sentence level edits with intentions for 1,000 sentence pairs. New intention taxonomy!



Automatic Span-level Edit Extraction

- Formulatd as a span alignment task.
- Our methods
 - semi-CRF word alignment model Ours at ACL 2021!
 - QA-Align (Nagata et al., 2020)
 - Simple heuristics (see our paper for a parsing-based heuristics)
- Baseline: Latexdiff used by Du et al., 2021.

	Perf. (P/ R /F1)			% of Edit Types			Len. of Edits			
	Р	R	F1	EM	Ins.	Del.	Sub.	Ins.	Del.	Sub.
Semi-CRF Aligner	87.5	87.7	87.6	80.5	32.9	26.7	40.4	4.66	4.98	2.21
QA-Align	87.7	88.4	88.0	82.0	33.2	24.0	42.9	4.46	4.62	2.08
Latexdiff	76.2	74.3	75.3	70.0	26.2	14.4	59.3	3.89	4.27	4.73

Please see our paper for experiments on automatic sentence alignment and intention classification!

Latexdiff treats everything as large chunk substitutions

Example Outputs from Our System



Adjust Grammar Improve Style Simplify More Accurate

From the various approaches used to study vehicular collective motion [CITATION], we chose a force-based model [CITATION] that represents each vehicle by their position [MATH] at time [MATH] on a straight road of length [MATH].

Of the different approaches to modeling vehicular collective motion [CITATION], we chose a force-based approach [CITATION] that represents each vehicle by their position [MATH] at time [MATH] on a straight road of length [MATH].

Simplify

Update Content

If furthermore the [MATH] -body Efimov states remain after extension of the Hilbert space to allow all correlations, we can more generally expect two universal [MATH] -body

If these [MATH] -body Efimov states remain after extension of the Hilbert space to allow all correlations, we can expect these sequences to be continued to the thresholds for binding by decreasing the attraction.

Adjust $fammar \rightarrow$ Improve Style



Our Work

A complete computational framework to study text revision in the scientific writing domain.

arXivEdits

System

- Automatic sentence alignment. Precision: 96.9; F1 93.8 lacksquare
- Span-level edit extraction. More explainable!
- Edit intention classification.

Data-driven Analysis

What common strategies are used by authors to improve the writing of their papers?

Sentence alignment for 751 paper groups across 6 research areas in 23 years. Full multi-page papers! Fine-grained sentence level edits with intentions for 1,000 sentence pairs. New intention taxonomy!







How Much Content Has Been Updated?

Based on manually annotated sentence alignment.

Update Ratio Between



$$V_i$$
 and $V_j = 1 - \frac{\# \text{ of kept sent.}}{\# \text{ of all sent. in } V_i}$

Update Ratio v.s. Area

Based on manually annotated sentence alignment.



compared to the CS area.



Researchers in Statistics make more significant revisions to their papers

Where do Researchers Make the Edits?

Based on manually annotated sentence alignment.



insertion and deletion of sentences occur more in the latter parts.

Relative Position in the Paper

Researchers, in general, revise more sentences at the beginning of a paper, while the

Zoom in to the Revised Sentences — Why do Researchers Make the Span-level Edits?

Run our span-level edit extraction and intention classification modules on all the revised sentences between adjacent versions in 751 article groups.



Please see our paper for more analysis!





Summary

We provide a complete computational framework to study text revision in scientific writing domain.

All techniques can be generalized to other domains!



Summary

We provide a complete computational framework to study text revision in scientific writing domain.

arXivEdits

- Fine-grained sentence level edits with intentions for 1,000 sentence pairs. New intention taxonomy!

System: (1) sentence alignment; (2) span-level edit extraction; (3) edit intention classification. **Data-driven Analysis**

What common strategies are used by authors to improve the writing of their papers?

Follow me on Twitter

All techniques can be generalized to other domains!

Sentence alignment for 751 paper groups across 6 research areas in 23 years. Full multi-page papers!

Code/data at https://tiny.one/arxivedits

Email me at chaojiang@gatech.edu







